



UNIQO 160

All-in-one IIFT automation Test portfolio




Table of contents

NEUROLOGY	5
Cerebellum (Monkey)	5
IIFT: Neurology Mosaic 1	5
IIFT: Neurology Mosaic 2	5
IIFT: Neurology Mosaic 8	5
IIFT: Neurology Mosaic 14	5
IIFT: Neurology Mosaic 16	5
IIFT: Glutamate Receptor Mosaic 3	5
IIFT: Nerves (Monkey)	5
IIFT: Autoimmune Encephalitis Mosaic 6	6
Anti-Glutamate Receptor (type NMDA) IIFT	6
Anti-Glutamate Receptor (type AMPA1/2) IIFT	6
Anti-GABA _B Receptor IIFT	6
Anti-DPPX IIFT	6
IIFT: Anti-VGKC-associated protein Mosaic 1	6
Anti-Contactin-associated protein 2 IIFT	6
Anti-Leucine-rich glioma-inactivated protein 1 (LGI1) IIFT	6
VASCULITIS	7
IIFT: Granulocytes (EOH)	7
IIFT: Granulocytes (HCHO)	7
IIFT: Granulocyte Mosaic 2	7
IIFT: Granulocyte Mosaic 13	7
IIFT: Granulocyte Mosaic 15	7
EUROPLUS Granulocyte Mosaic 22	7
EUROPLUS Granulocyte Mosaic 25	7
EUROPLUS Granulocyte Mosaic 32	7
NEPHROLOGY	8
IIFT: Membranous Nephropathy Mosaic 1	8
Anti-Phospholipase-A2 Receptor (PLA2R) IIFT	8
Anti-THSD7A IIFT	8
RHEUMATOLOGY	8
IIFT Mosaic: HEp-2/Liver (Monkey)	8
IIFT Mosaic: HEp-2/Kidney (Rat)	8
IIFT Mosaic: HEp-20-10/Liver (Monkey)	8
IIFT Mosaic: HEp-20-10/Kidney (Rat)	8
IIFT: HEp-2	8
IIFT: HEp-20-10	8
IIFT: Crithidia luciliae sensitive (Anti-dsDNA)	9

HEPATOLOGY9
IIFT: Liver Mosaic 19
IIFT: Liver Mosaic 89
IIFT: Liver Mosaic 99
IIFT: Kidney (Rat)9
IIFT: Mitochondria (AMA), Smooth muscles (ASMA)9
Anti-F-Actin IIFT9
IIFT: Smooth muscles (ASMA)9
IIFT Mosaic: Stomach (Rat)/VSM47 cells (anti-F-actin)10
IIFT Mosaic: Basic Profile 110
IIFT Mosaic: Basic Profile 210
IIFT Mosaic: Basic Profile 310
IIFT Mosaic: Basic Profile 3A10
IIFT Mosaic: Basic Profile 13B10
IIFT Mosaic: Basic Profile 3C10
 GASTROENTEROLOGY11
IIFT: Oesophagus (Monkey) IgA11
IIFT: Oesophagus (Monkey) IgG11
IIFT: Liver (Monkey) IgA11
IIFT: Liver (Monkey) IgG11
EUROPLUS Liver (Monkey)/Gliadin (GAF-3X) (IgA)11
EUROPLUS Liver (Monkey)/Gliadin (GAF-3X) (IgG)11



Autoimmune diagnostics

Order no.	Product •parameter	Substrate (species)	Ig class	Automated evaluation
NEUROLOGY				
FA 1111-1005 FA 1111-1010	Cerebellum (Monkey) •cerebellum antigens (grey and white matter)	1 BIOCHIP per field: •cerebellum (monkey)	IgA, IgG, IgM	-
FA 1111-1005-1 FA 1111-1010-1	IIFT: Neurology Mosaic 1 •medullated nerves •cerebellum antigens (grey and white matter) •non-medullated nerves	3 BIOCHIPS per field: •nerves (monkey) •cerebellum (monkey) •intestinal tissue (monkey)	IgA, IgG, IgM	- - -
FA 1111-1005-2 FA 1111-1010-2	IIFT: Neurology Mosaic 2 •medullated nerves •cerebellum antigens (grey and white matter)	2 BIOCHIPS per field: •nerves (monkey) •cerebellum (monkey)	IgA, IgG, IgM	- -
FA 1111-1005-8 FA 1111-1010-8	IIFT: Neurology Mosaic 8 •medullated nerves •cerebellum antigens (grey and white matter) •non-medullated nerves •pancreas islets	4 BIOCHIPS per field: •nerves (monkey) •cerebellum (monkey) •intestinal tissue (monkey) •pancreas (monkey)	IgA, IgG, IgM	- - - -
FA 1111-1005-14 FA 1111-1010-14	IIFT: Neurology Mosaic 14 •cerebellum antigens (grey and white matter) •non-medullated nerves	2 BIOCHIPS per field: •cerebellum (monkey) •intestinal tissue (monkey)	IgA, IgG, IgM	- -
FA 1111-1005-16 FA 1111-1010-16	IIFT: Neurology Mosaic 16 •medullated nerves •cerebellum antigens (grey and white matter) •non-medullated nerves •cell nuclei (ANA)	4 BIOCHIPS per field: •nerves (monkey) •cerebellum (monkey) •intestinal tissue (monkey) •HEp-2 cells (human)	IgA, IgG, IgM	- - - -
FA 111m-1005-3 FA 111m-1010-3	SOON AVAILABLE FOR UNIQO 160 IIFT: Glutamate Receptor Mosaic 3 •hippocampus antigens •cerebellum antigens (grey and white matter) •glutamate receptor (type NMDA)	4 BIOCHIPS per field: •hippocampus (rat) •cerebellum (rat) •transfected cells (EU 90) •control transfection (EU 90)	IgG	- - - -
FA 1120-1005	IIFT: Nerves (Monkey) •medullated nerves	1 BIOCHIP per field: •nerves (monkey)	IgA, IgG, IgM	-



Autoimmune diagnostics

Order no.	Product •parameter	Substrate (species)	Ig class	Automated evaluation
FA 112d-1005-6 FA 112d-1010-6	SOON AVAILABLE FOR UNIQO 160 IIFT: Autoimmune Encephalitis Mosaic 6 •glutamate receptor (type NMDA) •glutamate receptor (type AMPA1/2) •contactin-associated protein 2 (CASPR2) •dipeptidyl aminopeptidase-like protein 6 (DPPX) •leucine-rich glioma-inactivated protein 1 (LG11) •GABA _B receptor (GABARB1/2)	6 BIOCHIPs per field: •transfected cells (EU90) •transfected cells (EU90) •transfected cells (EU90) •transfected cells (EU90) •transfected cells (EU90) •transfected cells (EU90)	IgG	+ + + + + +
FA 112d-1005-51 FA 112d-1010-51	SOON AVAILABLE FOR UNIQO 160 Anti-Glutamate Receptor (type NMDA) IIFT •glutamate receptor (type NMDA)	2 BIOCHIPs per field: •transfected cells (EU90) •control transfection (EU 90)	IgG	+ -
FA 112k-1005-53	SOON AVAILABLE FOR UNIQO 160 Anti-Glutamate Receptor (type AMPA1/2) IIFT •glutamate receptor (type AMPA1/2)	2 BIOCHIPs per field: •transfected cells (EU 90) •control transfection (EU 90)	IgG	+ -
FA 112l-1005-50	SOON AVAILABLE FOR UNIQO 160 Anti-GABA_B Receptor IIFT •GABA _B receptor (GABARB1/B2)	2 BIOCHIPs per field: •transfected cells (EU90) •control transfection (EU 90)	IgG	+ -
FA 112m-1005-50	SOON AVAILABLE FOR UNIQO 160 Anti-DPPX IIFT •dipeptidyl aminopeptidase-like protein 6 (DPPX)	2 BIOCHIPs per field: •transfected cells (EU90) •control transfection (EU 90)	IgG	+ -
FA 1439-1005-1	SOON AVAILABLE FOR UNIQO 160 IIFT: Anti-VGKC-associated protein Mosaic 1 •leucine-rich glioma-inactivated protein 1 (LG11) •contactin-associated protein 2 (CASPR2)	3 BIOCHIPs per field: •transfected cells (EU90) •transfected cells (EU90) •control transfection (EU 90)	IgG	+ + -
FA 1439-1005-50	SOON AVAILABLE FOR UNIQO 160 Anti-Contactin-associated protein 2 IIFT •contactin-associated protein 2 (CASPR2)	2 BIOCHIPs per field: •transfected cells (EU90) •control transfection (EU 90)	IgG	+ -
FA 1439-1005-51	SOON AVAILABLE FOR UNIQO 160 Anti-Leucine-rich glioma-inactivated protein 1 (LG11) IIFT •leucine-rich glioma-inactivated protein 1 (LG11)	2 BIOCHIPs per field: •transfected cells (EU90) •control transfection (EU 90)	IgG	+ -



Autoimmune diagnostics

Order no.	Product •parameter	Substrate (species)	Ig class	Automated evaluation
VASCULITIS				
FA 1200-1005 FA 1200-1010 FA 1200-2005	IIFT: Granulocytes (EOH) •cANCA, pANCA	1 BIOCHIP per field: •granulocytes EOH (human)	IgG	+
FA 1201-1005 FA 1201-1010	IIFT: Granulocytes (HCHO) •cANCA, pANCA	1 BIOCHIP per field: •granulocytes HCHO (human)	IgG	+
FA 1201-1005-2 FA 1201-1010-2 FA 1201-2005-2 FA 1201-2010-2	IIFT: Granulocyte Mosaic 2 •cANCA, pANCA •cANCA, pANCA	2 BIOCHIPS per field: •granulocytes EOH (human) •granulocytes HCHO (human)	IgG	+ +
FA 1201-1005-13 FA 1201-1010-13 FA 1201-2005-13 FA 1201-2010-13	IIFT: Granulocyte Mosaic 13 •cANCA, pANCA •cANCA, pANCA •cell nuclei (ANA), cANCA, pANCA	3 BIOCHIPS per field: •granulocytes EOH (human) •granulocytes HCHO (human) •HEp-2 + granulocytes EOH (human)	IgG	+ + +
FA 1201-1005-15 FA 1201-1010-15 FA 1201-2005-15 FA 1201-2010-15	IIFT: Granulocyte Mosaic 15 •cANCA, pANCA •cell nuclei (ANA), cANCA, pANCA	2 BIOCHIPS per field: •granulocytes EOH (human) •HEp-2 + granulocytes EOH (human)	IgG	+ +
FA 1201-1005-22 FA 1201-1010-22 FA 1201-2005-22	SOON AVAILABLE FOR UNIQO 160 EUROPLUS Granulocyte Mosaic 22 •cANCA, pANCA •myeloperoxidase •cANCA, pANCA •proteinase 3	4 BIOCHIPS per field: •granulocytes EOH (human) •MPO EUROPLUS •granulocytes HCHO (human) •PR3 EUROPLUS	IgG	+ + + +
FA 1201-1005-25 FA 1201-1010-25 FA 1201-2005-25 FA 1201-2010-25	SOON AVAILABLE FOR UNIQO 160 EUROPLUS Granulocyte Mosaic 25 •cANCA, pANCA •cell nuclei (ANA), cANCA, pANCA •cANCA, pANCA •glomerular basement membrane (GBM) •proteinase 3 •myeloperoxidase	6 BIOCHIPS per field: •granulocytes EOH (human) •HEp-2 + granulocytes EOH (human) •granulocytes HCHO (human) •GBM EUROPLUS •PR3 EUROPLUS •MPO EUROPLUS	IgG	+ + + + + +
FA 1201-1005-32 FA 1201-1010-32 FA 1201-2005-32 FA 1201-2010-32	SOON AVAILABLE FOR UNIQO 160 EUROPLUS Granulocyte Mosaic 32 •cANCA, pANCA •cANCA, pANCA •cell nuclei (ANA), cANCA, pANCA •proteinase 3 •myeloperoxidase	5 BIOCHIPS per field: •granulocytes EOH (human) •granulocytes HCHO (human) •HEp-2 + granulocytes EOH (human) •PR3 EUROPLUS •MPO EUROPLUS	IgG	+ + + + +



Autoimmune diagnostics

Order no.	Product •parameter	Substrate (species)	Ig class	Automated evaluation
NEPHROLOGY				
FA 1254-1005-1 FA 1254-1010-1	IIFT: Membranous Nephropathy Mosaic 1 •phospholipase-A2 receptor (PLA2R) •thrombospondin type-1 domain-containing protein 7A (THSD7A)	3 BIOCHIPs per field: •transfected cells (EU 90) •transfected cells (EU 90) •control transfection (EU 90)	IgG	+ + -
FA 1254-1005-50 FA 1254-1010-50 FA 1254-2010-50	Anti-Phospholipase-A2 Receptor (PLA2R) IIFT •phospholipase-A2 receptor (PLA2R)	2 BIOCHIPs per field: •transfected cells (EU 90) •control transfection (EU 90)	IgG	+ -
FA 1254-1005-51 FA 1254-2005-51	Anti-THSD7A IIFT •thrombospondin type-1 domain-containing protein 7A (THSD7A)	2 BIOCHIPs per field: •transfected cells (EU 90) •control transfection (EU 90)	IgG	+ -
RHEUMATOLOGY				
FA 1510-1005-1 FA 1510-1010-1 FA 1510-2005-1 FA 1510-2010-1	IIFT Mosaic: HEp-2/Liver (Monkey) •cell nuclei (ANA) •cell nuclei (ANA)	2 BIOCHIPs per field: •HEp-2 cells (human) •liver (monkey)	IgG	+ -
FA 1510-1005-2 FA 1510-1010-2	IIFT Mosaic: HEp-2/Kidney (Rat) •cell nuclei (ANA) •mitochondria (AMA)	2 BIOCHIPs per field: •HEp-2 cells (human) •kidney (rat)	IgG	+ +
FA 1512-1005-1 FA 1512-1010-1 FA 1512-2005-1 FA 1512-2010-1	IIFT Mosaic: HEp-20-10/Liver (Monkey) •cell nuclei (ANA) •cell nuclei (ANA)	2 BIOCHIPs per field: •HEp-20-10 cells (human) •liver (monkey)	IgG	+ -
FA 1512-1005-2 FA 1512-1010-2	IIFT Mosaic: HEp-20-10/Kidney (Rat) •cell nuclei (ANA) •mitochondria (AMA)	2 BIOCHIPs per field: •HEp-20-10 cells (human) •kidney (rat)	IgG	+ +
FA 1520-1005 FA 1520-1010 FA 1520-2005 FA 1520-2010	IIFT: HEp-2 •cell nuclei (ANA)	1 BIOCHIP per field: •HEp-2 cells (human)	IgG	+ +
FA 1522-1005 FA 1522-1010 FA 1522-2005 FA 1522-2010	IIFT: HEp-20-10 •cell nuclei (ANA)	1 BIOCHIP per field: •HEp-20-10 cells (human)	IgG	+ +



Autoimmune diagnostics

Order no.	Product •parameter	Substrate (species)	Ig class	Automated evaluation
FA 1572-1005-1 FA 1572-1010-1 FA 1572-2005-1 FA 1572-2010-1	IIFT: Crithidia luciliae sensitive (Anti-dsDNA) •dsDNA (sensitive)	1 BIOCHIP per field: •flagellates (<i>Crithidia luciliae</i>)	IgG	+
HEPATOLOGY				
FA 1300-1005-1 FA 1300-1010-1 FA 1300-2005-1	IIFT: Liver Mosaic 1 •liver-kidney-microsomes (LKM), ANA •mitochondria (AMA), LKM	2 BIOCHIPS per field: •liver (rat) •kidney (rat)	IgG	+ +
FA 1300-1005-8 FA 1300-1010-8 FA 1300-2005-8	SOON AVAILABLE FOR UNIQO 160 IIFT: Liver Mosaic 8 •cell nuclei (ANA) •liver antigens, cell nuclei (ANA) •LKM + mitochondria (AMA) •LKM + cell nuclei (ANA) •smooth muscles (ASMA) •F-actin	6 BIOCHIPS per field: •HEp-2 cells (human) •liver (monkey) •kidney (rat) •liver (rat) •stomach (rat) •VSM47 cells (rat)	IgG	+ - + + + +
FA 1300-1005-9 FA 1300-1010-9	SOON AVAILABLE FOR UNIQO 160 IIFT: Liver Mosaic 9 •LKM + mitochondria (AMA) •LKM + cell nuclei (ANA) •smooth muscles (ASMA) •F-actin	4 BIOCHIPS per field: •kidney (rat) •liver (rat) •stomach (rat) •VSM47 cells (rat)	IgG	+ + + +
FA 1620-1005 FA 1620-1010 FA 1620-2005 FA 1620-2010	IIFT: Kidney (Rat) •mitochondria (AMA)	1 BIOCHIP per field: •kidney (rat)	IgG	+
FA 1620-1005-1 FA 1620-1010-1 FA 1620-2005-1 FA 1620-2010-1	IIFT: Mitochondria (AMA), Smooth muscles (ASMA) •mitochondria (AMA) •smooth muscles (ASMA)	2 BIOCHIPS per field: •kidney (rat) •stomach (rat)	IgG	+ +
FA 1651-1005 FA 1651-1010	SOON AVAILABLE FOR UNIQO 160 Anti-F-Actin IIFT •F-actin	1 BIOCHIP per field: •VSM47 cells (rat)	IgG	+
FA 1710-1005 FA 1710-1010 FA 1710-2005 FA 1710-2010	IIFT: Smooth muscles (ASMA) •smooth muscles (ASMA)	1 BIOCHIP per field: •stomach (rat)	IgG	+



Autoimmune diagnostics

Order no.	Product •parameter	Substrate (species)	Ig class	Automated evaluation
FA 1710-1005-1	SOON AVAILABLE FOR UNIQO 160	2 BIOCHIPs per field:	IgG	
FA 1710-2010-1	IIFT Mosaic: Stomach (Rat)/VSM47 cells (anti-F-actin) •smooth muscles (ASMA) •F-actin	•stomach (rat) •VSM47 cells (rat)		+
FA 1800-1005-1	IIFT Mosaic: Basic Profile 1	3 BIOCHIPs per field:	IgG	
FA 1800-1010-1	•cell nuclei (ANA), LKM	•HEp-2 cells (human)		+
FA 1800-2005-1	•mitochondria (AMA), LKM •smooth muscles (ASMA)	•kidney (rat) •stomach (rat)		+
FA 1800-1005-2	IIFT Mosaic: Basic Profile 2	3 BIOCHIPs per field:	IgG	
FA 1800-1010-2	•cell nuclei (ANA), LKM	•liver (rat)		+
FA 1800-2005-2	•mitochondria (AMA), LKM	•kidney (rat)		+
FA 1800-2010-2	•smooth muscles (ASMA)	•stomach (rat)		+
FA 1800-1005-3	IIFT Mosaic: Basic Profile 3	4 BIOCHIPs per field:	IgG	
FA 1800-1010-3	•cell nuclei (ANA)	•HEp-2 cells (human)		+
FA 1800-2005-3	•cell nuclei (ANA) •mitochondria (AMA) •smooth muscles (ASMA)	•liver (monkey) •kidney (rat) •stomach (rat)		- + +
FA 1802-1005-3	IIFT Mosaic: Basic Profile 3A	4 BIOCHIPs per field:		
FA 1802-1010-3	•cell nuclei (ANA)	•HEp-20-10 cells (human)	IgG	+
FA 1802-2005-3	•cell nuclei (ANA)	•liver (monkey)		-
FA 1802-2010-3	•mitochondria (AMA) •smooth muscles (ASMA)	•kidney (rat) •stomach (rat)		+
FA 1805-1005-13	IIFT Mosaic: Basic Profile 13B	4 BIOCHIPs per field:		
FA 1805-1010-13	•cell nuclei (ANA)	•HEp-2-cells (human)	IgG	+
FA 1805-2005-13	•cell nuclei (ANA), LKM •mitochondria (AMA), LKM •smooth muscles (ASMA)	•liver (rat) •kidney (rat) •stomach (rat)		+
FA 1812-1005-3	IIFT Mosaic: Basic Profile 3C	4 BIOCHIPs per field:		
FA 1812-1010-3	•cell nuclei (ANA)	•HEp-20-10 cells (human)		IgG
FA 1812-2005-3	•cell nuclei (ANA), LKM	•liver (rat)	+	
FA 1812-2010-3	•mitochondria (AMA), LKM •smooth muscles (ASMA)	•kidney (rat) •stomach (rat)	+	



Autoimmune diagnostics

Order no.	Product •parameter	Substrate (species)	Ig class	Automated evaluation
GASTROENTEROLOGY				
FA 1911-1005 A FA 1911-1010 A FA 1911-2005 A FA 1911-2010 A	IIFT: Oesophagus (Monkey) IgA •endomysium (EmA)	1 BIOCHIP per field: •oesophagus (monkey)	IgA	+
FA 1911-1005 G FA 1911-1010 G FA 1911-2010 G	SOON AVAILABLE FOR UNIQO 160 IIFT: Oesophagus (Monkey) IgG •endomysium (EmA)	1 BIOCHIP per field: •oesophagus (monkey)	IgG	-
FA 1914-1005 A FA 1914-1010 A FA 1914-2005 A FA 1914-2010 A	IIFT: Liver (Monkey) IgA •endomysium (EmA)	1 BIOCHIP per field: •liver (monkey)	IgA	+
FA 1914-1005 G FA 1914-1010 G FA 1914-2005 G FA 1914-2010 G	SOON AVAILABLE FOR UNIQO 160 IIFT: Liver (Monkey) IgG •endomysium (EmA)	1 BIOCHIP per field: •liver (monkey)	IgG	-
FA 1914-1005-1 A FA 1914-1010-1 A FA 1914-2005-1 A	EUROPLUS Liver (Monkey)/Gliadin (GAF-3X) (IgA) •endomysium (EmA) •gliadin (GAF-3X)	2 BIOCHIPS per field: •liver (monkey) •gliadin (GAF-3X) EUROPLUS	IgA	- -
FA 1914-1005-1 G FA 1914-1010-1 G FA 1914-2005-1 G	SOON AVAILABLE FOR UNIQO 160 EUROPLUS Liver (Monkey)/Gliadin (GAF-3X) (IgG) •endomysium (EmA) •gliadin (GAF-3X)	2 BIOCHIPS per field: •liver (monkey) •gliadin (GAF-3X) EUROPLUS	IgG	- -



Find out more at www.euroimmun.com
or contact us directly: www.euroimmun.com/contact

